

NEW ENGLAND NOTE

*SCIRPUS POLYPHYLLUS* (CYPERACEAE) IN  
NEW HAMPSHIRE<sup>1</sup>

GORDON C. TUCKER

*Scirpus polyphyllus* Vahl is the only sedge of eastern North America with two-ranked leaves, a morphological feature that generally characterizes grasses rather than sedges (Tucker, 1987). Unlike *S. atrovirens* Willd. and *S. hattorianus* Makino, which are similar in having spikelets in glomerules, *S. polyphyllus* is never viviparous and it has curled bristles longer than the achenes.

During recent visits to NASC and NHA, I noted two specimens (both previously identified as “*Scirpus atrovirens* Willd.”) that are in fact *Scirpus polyphyllus*, a new record for the flora of New Hampshire:

New Hampshire: Strafford Co.: Durham, Johnson Creek shore, 6 Oct. 1969, *Hellquist, Haines & Hodgdon 306* (NASC 8842); Sullivan Co.: Meriden, 1876, *Dr. N. Barrows s.n.* (NHA).

*Scirpus polyphyllus*, a widespread native of the eastern United States, was previously known to occur from Vermont, New York, Ohio (but not Ontario), and Illinois south to Georgia, Alabama, and Arkansas (Schuyler, 1967; Tucker, 1987). In New England it has been reported from Champlain Valley of Vermont (Zika, 1988), Massachusetts (Connecticut Valley), and Connecticut (Connecticut Valley and southwestern parts of the state) (Seymour, 1982). I have examined specimens from the herbaria listed below to confirm the range of *Scirpus polyphyllus*; in so doing, no other collections from New Hampshire were found.

On 10 September 1988, I visited Meriden, New Hampshire and spent a half-day attempting to re-locate *Scirpus polyphyllus*, assisted by J. Denison Tucker. Both *S. atrovirens* (4166, 4168, NYS) and *S. hattorianus* (4169, 4180, NYS) were plentiful along streams and in wet meadows bordering many of the town roads, but we were unable to find any *S. polyphyllus*.

---

<sup>1</sup> Contribution #672 from the New York State Museum and Science Service.



## ACKNOWLEDGMENTS

I thank the curators of CCNL, CLEMS, CONN, DUKE, GH, KIRI, MASS, MT, MTMG, NASC, NCSC, NCU, NEBC, NHA, NYS, SMU, TRT, TRTE, VT, and YU for lending specimens or providing access to collections.

## LITERATURE CITED

- SCHUYLER, A. E. 1967. A taxonomic revision of North American leafy species of *Scirpus*. Proc. Acad. Nat. Sci. Philadelphia 119: 295–323.
- SEYMOUR, F. C. 1982. The Flora of New England, 2nd ed. Phytologia Memoirs 5: 1–612.
- TUCKER, G. C. 1987. The genera of Cyperaceae in the southeastern United States. Jour. Arnold Arb. 68: 361–445.
- ZIKA, P. F. 1988. Contributions to the flora of the Champlain Valley, New York and Vermont, II. Bull. Torrey Bot. Club 115: 218–220.

## BIOLOGICAL SURVEY

NEW YORK STATE MUSEUM

THE STATE EDUCATION DEPARTMENT

ALBANY, NY 12230